DPNE92/GNLW/A

gorenje Life Simplified

G400 Freestanding tumble dryer with heating pump, 9 kg

- EuropeanQuality
- ConnectLife
- ConnectLife – DrySync
- HeatPump
- Fast89'
- AutoDrain
- AntiCrease function
- Bedding
- Pillow
- SimpleInterface
- SleekDoor
- ChildLock
- SensorDrying
- ConnectLife – AppliancesDashboard
- ConnectLife – Notifications
- ConnectLife – RemoteControl
- ConnectLife – VoiceControl

General information

Product group:	**Tumble dryer**	Product type:	**Condenser with heat pump**
Energy efficiency class:	**D**	Noise level drying class:	**B**
Colour of the product:	**Grey**	Door glazing:	**Cover door**

Efficiency

Condensation efficiency class:	**B**	Acoustic noise emission Eco:	**62 dB(A)**
Duration of Eco (Tt):	**140 min**	Energy consumption per 100 cycles:	**128 kWh**
Average condensation efficiency at full load (Cdry):	**91 %**	Drying capacity:	**9 kg**
Door opening diameter:	**350 mm**	Door opening angle:	**180 °**
Drive:	**Asynchronous motor**		

Control

Possible to control via Wi-Fi:	**Yes, integrated**	ConnectLife:	**Yes**
Type of display:	**LED display**	DelayEnd:	**Yes**
Digital countdown indicator:	**Yes**	Drum illumination:	**Yes**
Keys:	**Start/pause**		

Programmes

Number of programmes:	**16**	Drying programs:	**Remote control, ExtraHygiene, Cotton eco, Cotton iron, Mix dry, Synthetic/mix iron, Cotton storage, Bedding, Wool, Shirts, SportWash, Pillow, Towels, Timed drying, AirRefresh, Sensitive, Speed 89'**
Wi-Fi drying programs:	**Towels, Kid toys, Jackets, Sneakers, Underwear**		

Functions

Additional functions:	**Time delay, Dryness level setting, Half load, AntiCrease system**

Features

Ioniser:	**No**	SteamTech:	**No**
TwinAir:	**Yes**	Direct discharge of condensate AutoDrain:	**Yes**
Filter cleaning:	**Easy filter cleaning**	Reversible drum action:	**Yes**

Sensors:	**Humidity sensor**	Sound signal:	**Audio signal SoftSound**
Drying time selection:	**Step setting**	Full tank indicator:	**Yes**
Sound alarm intensity setting:	**Step setting**		

Safety

Lockable control panel:	**Yes**

Technical data

Drum material:	**Stainless steel**	Type of refrigerant:	**R290**
Quantity of fluorinated gases:	**0.105 kg**	Hermetically sealed:	**Yes**
Width of the product:	**600 mm**	Height of the product:	**850 mm**
Depth of the product:	**625 mm**	Width of the packed product:	**640 mm**
Height of the packed product:	**870 mm**	Depth of the packed product:	**690 mm**
Gross weight:	**46.7 kg**	Net weight:	**44.8 kg**
Voltage:	**220-240 V**	Connected load:	**800 W**
Product code:	**745202**	EAN code:	**3838782916816**
EPREL number:	**2230055**		