

BOS6737E09X

gorenje *Life Simplified*

G400 Multisystem oven, 60 x 60 cm



AirFry



Pizza function



Telescopic
guides



Gratin



PerfectGrill



FrozenBake



BigSpace



GentleBake



DC+ System



GentleClose &
GentleOpen



Removable glass
door



FastPreheat



HomeMade
shape

General information

Product group:	Electric oven	Oven type:	Multisystem oven
Energy efficiency class:	A	Colour of the product:	Stainless Steel
TouchFree Inox:	Yes	Interior material:	Enamelled steel
Door hinge:	SoftOpen and GentleClose	HomeMade Plus shape:	Yes

Efficiency

Usable oven volume:	77 l	Max. oven temperature:	300 °C
Surface of the largest baking pan:	1360 cm²		

Control

Temperature control:	Mechanical	Timer:	IconLed
Knob shape:	Non-illuminated push-pull knob		

Heating types

Heating type:	FastPreheat	Heating type:	Lower and upper heater with ventilator
Heating type:	Large infra heater with fan	Heating type:	AirFry
Heating type:	Circular heater with entry steam	Heating type:	Lower and upper heater with entry steam
Heating type:	Large infra heater	Heating type:	GentleBake
Heating type:	Pizza function	Heating type:	FrozenBake
Heating type:	Defrost	Heating type:	Cleaning
Heating type:	Oven light		

Features

Interior light:	Above	Flat oven inner door glass surface:	Yes, removable
Foldable upper heater:	No	PerfectGrill:	Yes
SuperSize:	Yes		

Equipment

Oven guides:	Partially extendable telescopic guides on one level	Baking pans:	1 deep enameled baking pan, 1 shallow enameled baking pan
Wire shelf:	1 pcs	MeatProbe:	No

Safety

Door glazing:	Double glazed oven door with one heat deflector	Door surface temperature:	CompactDoor
Thermoelectric fuse:	Yes	Cooling fan:	Dynamic oven cooling plus - DC+

Technical data

Energy consumption (venting):	0.821 kWh	Power consumption in standby mode:	0.5 W
Time needed for the appliance to reach the applicable low power mode or condition:	3 min	Connected load:	3.5 kW
Width of the product:	595 mm	Height of the product:	595 mm
Depth of the product:	564 mm	Width of niche size for installation max.:	564 mm
Width of niche size for installation min.:	560 mm	Height of niche size for installation max.:	600 mm
Height of niche size for installation min.:	590 mm	Depth of niche size for installation min.:	550 mm
Width of the packed product:	620 mm	Height of the packed product:	660 mm
Depth of the packed product:	675 mm	Gross weight:	29.8 kg
Net weight:	27.8 kg	Voltage:	220-240 V
Frequency:	50-60 Hz	Product code:	738416
EAN code:	3838782503474	EPREL number:	1230731

