

WHC623E16X

gorenje *Life Simplified*

G400 Chimney kitchen hood, 60 cm



TouchFree
coating

General information

Product group:	Kitchen hood	Energy efficiency class:	C
Installation type:	Wall freestanding	Hood type:	Chimney
Operation type:	Venting with air extraction or recirculation	Cabinet material:	Stainless steel
Material of chimney:	Stainless steel	Cabinet colour:	Stainless steel
Colour of decorative chimney:	Stainless steel		

Efficiency

Grease filtering efficiency class:	A	Lightning efficiency class:	A
Fluid dynamic efficiency class:	C	Total power of the motors:	135 W
Number of speed levels:	3	Number of lights:	2
Number of motors:	1	Maximum extraction rate by extraction operation:	505 m³/h
Maximum extraction rate by recirculation operation:	380 m³/h	Air flow by extraction version, step 1:	230 m³/h
Air flow by extraction version, step 2:	372 m³/h	Air flow by extraction version, step 3:	505 m³/h
Annual energy consumption:	62.2 kWh		

Control

Control type:	Knobs	Remote control:	No
---------------	--------------	-----------------	-----------

Functions

Timer function:	No
-----------------	-----------

Features

Perimetric suction:	No	Grease filter indicator:	No
Illumination setting:	On/off light switch		

Equipment

Lamp type:	LED	Grease filter:	Washable aluminium with polyurethane foam
Number of grease filters:	2	Motor type:	Capacitor
No return airflow flap:	150 mm		

Additional equipment

Coal filter code (optional as separate purchase):

315275

Technical data

Noise level (max):	62 dB(A)	Min. height of the chimney:	545 mm
Max. height of the chimney:	875 mm	Length of electrical cord:	1500 mm
Width of the product:	600 mm	Height of the product:	250 mm
Depth of the product:	500 mm	Width of the packed product:	645 mm
Height of the packed product:	637 mm	Depth of the packed product:	365 mm
Gross weight:	11.2 kg	Net weight:	8.6 kg
Voltage:	220-240 V	Frequency:	50 Hz, 60 Hz
Connected load:	141 W	Product code:	514495
EAN code:	3838942072352		

