


GEH8433BSCWF

gorenje *Life Simplified*

G800 Induction hob with hood, 83 cm



LumiSliders



AutoProgrammes Pro



StableHeat



InstaDetect



AutoAdjust



A+++



ConnectLife



QuietPerformance



EasyClean



PowerShift



QuickBoost

General information

Product group:	Induction hob with hood	Energy efficiency class:	A+++
Hob frame edges:	Soft cut edges		

Efficiency

Grease filtering efficiency class:	B	Fluid dynamic efficiency class:	A
Maximum extraction rate by extraction operation:	471 m³/h	Maximum extraction rate by recirculation operation:	467 m³/h
Air flow by extraction version, step 1:	157 m³/h	Airflow boost position (PowerBoost 2) - extraction:	627 m³/h
Airflow boost position (PowerBoost 2) - recirculation:	571 m³/h	PowerBoost function:	1
Number of motors:	1		

Control

Possible to control via Wi-Fi:	Yes, integrated	Control type:	Electronic
Control type:	SliderTouch control	Timer function:	Yes
Number of speed levels:	10		

Cooking surface

Number of cooking zones:	4	Cooking zone front left:	Induction heater
Ø left front (mm):	190X210	Cooking zone power left front:	2300 W
2. cooking zone power left front:	3000 W	Cooking zone right front:	Induction heater
Ø right front (mm):	230	Cooking zone power right front:	2300 W
2. cooking zone power right front:	3000 W	Cooking zone left behind:	Induction heater
Ø left behind (mm):	190X210	Cooking zone power left behind:	2300 W
2. cooking zone power left behind:	3000 W	Cooking zone right behind:	Induction heater
Ø right behind (mm):	145	Cooking zone power right behind:	1200 W
2. cooking zone power right behind:	1800 W		

Features

Easy install:	Yes	Easy repair:	Yes
Bridge function:	Yes	Operation type:	Venting with air extraction or recirculation

PowerBoost function: **Yes**

Equipment

Grease filter: **Washable aluminium**

Number of charcoal filters: **2**

Additional equipment

Recirculation set number: **952935, 952936**

Coal filter code (optional as separate purchase): **952938**

Safety

ChildLock: **No**

Full tank indicator: **No**

Grease filter indicator: **Yes**

Technical data

Noise level (max): **68 dB(A)**

Annual energy consumption: **13.2 kWh**

Width of the product: **830 mm**

Height of the product: **233 mm**

Depth of the product: **520 mm**

Width of the packed product: **900 mm**

Height of the packed product: **305 mm**

Depth of the packed product: **600 mm**

Width of niche size for installation min.: **750 mm**

Width of niche size for installation max.: **752 mm**

Height of niche size for installation max.: **230 mm**

Height of niche size for installation min.: **229 mm**

Depth of niche size for installation min.: **490 mm**

Gross weight: **22.2 kg**

Net weight: **18.2 kg**

Connected load: **7360 W**

Voltage: **220-240 V**

Product code: **745249**

EAN code: **3838782921537**

