WHT66236B

G600 Decorative T-shape kitchen hood, 60 cm



- EasyClean
- Energy efficiency A
- HoodSync H2H
- PureAir Sensor
- TouchControl
- ConnectLife
- EasyInstallation

General information

Product group:	**Kitchen hood**	Energy efficiency class:	**A**
Installation type:	**Wall freestanding**	Hood type:	**Decorative T-shape**
Operation type:	**Venting with air extraction or recirculation**	Cabinet material:	**Varnished metal**
Material of chimney:	**Varnished metal**	Cabinet colour:	**Black**
Colour of decorative chimney:	**Black**		

Efficiency

Grease filtering efficiency class:	**C**	Lightning efficiency class:	**C**
Fluid dynamic efficiency class:	**A**	Total power of the motors:	**280 W**
Number of speed levels:	**4**	Number of lights:	**1**
Number of motors:	**1**	Airflow boost position (PowerBoost 1) - extraction:	**747 m^3/h**
Maximum extraction rate by extraction operation:	**469 m^3/h**	Air flow by extraction version, step 1:	**285 m^3/h**
Air flow by extraction version, step 3:	**469 m^3/h**	Annual energy consumption:	**57.4 kWh**

Control

Control type:	**Touch control**	Possible to control via Wi-Fi:	**Yes, integrated**
ConnectLife:	**Yes**	Hob to hood connection:	**Automatic synchronization**
Remote control:	**No**		

Functions

Sensor for automatic airing function:	**Yes**

Features

Grease filter indicator:	**Yes**	GentleClose:	**No**
Illumination setting:	**Dimmer function**		

Equipment

Lamp type:	**LED strip**	Grease filter:	**Aluminium**
Number of grease filters:	**2**	Motor type:	**Capacitor**
No return airflow flap:	**150 mm**		

Additional equipment

Recirculation set number:	**H20105154**	Number of charcoal filters:	**1**
Coal filter code (optional as separate purchase):	**H20108827**		

Technical data

Noise level (max):	**60 dB(A)**	Min. height of the chimney:	**542 mm**
Max. height of the chimney:	**1020 mm**	Length of electrical cord:	**1000 mm**
Width of the product:	**596 mm**	Height of the product:	**360 mm**
Depth of the product:	**440 mm**	Width of the packed product:	**682 mm**
Height of the packed product:	**422 mm**	Depth of the packed product:	**545 mm**
Gross weight:	**19.9 kg**	Net weight:	**14.1 kg**
Voltage:	**220-240 V**	Frequency:	**50 Hz, 60 Hz**
Connected load:	**285 W**	Product code:	**20017495**
EAN code:	**3838783075031**		